


THIS DRAWING IS FOR C

1771 INDUSTRIAL ROAD · DOTHAN, ALABAMA · 36303 PH (888) 303-5534 · FAX (334) 836-1401 · www.idassociatesinc.com

CONCEPTION PURPOSES ONLY. DUE TO CONSTRUCTION CONSTRAINTS, SIZES AND OR LAYOUTS MAY CHANGE SLIGHTLY.									
LIENT:	The same of the sa	07/12/07	REV:	DRAWN BY: JAS	APPROVED BY:				
THE HOME DE	POT	REV:	REV:		APPROVAL DATE:				
		07/20/07		NOTED					
OCATION:	STORE NO:	REV:	REV:	FILE: L:\PRESENTATION\GUSTOWERS\THE HOME DEPOT\					
NAVARRE, FL				PRESENTATION\FL\THD-NAVARRE FL-SIGN EXHIBIT REVB.CDR	/ III Underwri				
CCOUNT REP.	DATE:	REV.	REV:	DRAWING NO:	Laborato				
LORI WATKINS	04/27/07			THD-Navarre FL-Sign Exhibit RevB	LISTED				








Scale: 1/8" = 1'

T											
	A	S	S	0	С	1	A	T	Ε	S	

1771 INDUSTRIAL ROAD · DOTHAN, ALABAMA · 36303 PH (888) 303-5534 · FAX (334) 836-1401 · www.idassociatesinc.com

THIS DRAWING IS FOR CONCEPTION PURPOSES ONLY. DUE TO CONSTRUCTION CONSTRAINTS, SIZES AND OR LAYOUTS MAY CHANGE SLIGHTLY.									
	THE HOME DE		REV:	07/12/07	REV:	DRAWN BY: JAS	APPROVED BY:		
CIATES	THE HOME DEPOT			07/20/07	REV.	SCALE: NOTED	APPROVAL DATE:		
ABAMA - 36303	NAVARRE, FL	STORE NO:	REV:		REV:	FILE: L:\PRESENTATION\;GUSTOMERS\THE HOME DEPOT\ PRESENTATION\FL\THD-NAVARRE FL-SIGN EXHIBIT REVB.CDR	Under		
w.idassociatesinc.com	ACCOUNT REP. LORI WATKINS	DATE: 04/27/07	REV:		REV:	DRAWING NO. THD-Navarre FL-Sign Exhibit RevB	Labora		



Cabinet: .063" fabricated aluminum filler with internal tube-steel frame. Exterior painted polyurethane gloss. Black. Interior painted Lacryl Spraylat star-brite white reflective coating.

Retainer: 4"x 4" x .063" fabricated aluminum painted polyurethane gloss black.

Faces: flexible substrate w/ applied graphics. Face copy white w/ background to match Calon 2500-44 orange first surface on face. (see approved methods & suppliers attached).

Steel structure and concrete footings: to be sized within accordance with local wind load and other requirements. All exposed steel painted polyurethane gloss black.

Illumination: H.O. Fluorescent Day Light Lamps 12" O.C.-277 Volt Service. Ballasts-One (1) 20 Amp Primary Electrical Circuit.


Electrical specs: 277 volts, one (1) 20 amp primary electrical circuit (20 amp primary power to be provided by others within 6'-0" of sign location). General contractor and / or electrician to coordinate with sign contractor the exact location before sign placement. Final connection to primary power by sign contractor.

APPROVED BY:

APPROVAL DATE:

Underwriters

Laboratories Inc.



THIS DRAWING IS FOR CONCEPTION PURPOSES ONLY. DUE TO CONSTRUCTION CONSTRAINTS, SIZES AND OR LAYOUTS MAY CHANGE SLIGHTLY.

Scale: 1/8" = 1'

A S S O C I A T E S

1771 INDUSTRIAL ROAD · DOTHAN, ALABAMA · 36303 PH (888) 303-5534 · FAX (334) 836-1401 · www.idassociatesinc.com

07/12/07 JAS THE HOME DEPOT SCALE: REV: 07/20/07 NOTED LOCATION: REV: FILE: L:\PRESENTATION\GUSTOMERS\THE HOME DEPOT\
PRESENTATION\FL\THD-NAVARRE FL-SIGN EXHIBIT REVB.CDR NAVARRE, FL ACCOUNT REP. REV: **LORI WATKINS** 04/27/07 THD-Navarre FL-Sign Exhibit Rev